

Mounting & Laminating



LAMINATING FILMS

OPTICALLY CLEAR	Part No.	Roll Size	Roll Price	Price Per Square Ft.
105 HIGH GLOSS OVERLAMINATING FILM				
<i>Concept</i> [®] 105 High Gloss Overlaminating Film is an optically clear 2.0 mil polyester film with a 1.5 mil clear polyester liner. Richly enhances image clarity, contrast and brilliance while offering UV protection.	105-31	31" x 150'	193.75	.50
	105-38	38" x 150'	261.25	.55
	105-51	51" x 150'	318.75	.50
	105-514	51" x 400'	816.00	.48
	105-54	54" x 150'	337.50	.50
	105-61	61" x 150'	350.75	.46
	Cut pieces	54" wide -	7.85 per yd.	
100 GLOSS OVERLAMINATING FILM				
<i>Concept</i> [®] 100 Gloss Overlaminating Film is a flexible 3.0 mil clear vinyl film with a permanent overlamine adhesive and a 53# liner. Economically enhances image clarity, contrast and brilliance while providing UV protection.	100-38	38" x 150'	223.25	.47
	100-51	51" x 150'	236.00	.37
	100-54	54" x 150'	249.75	.37
101 LUSTRE OVERLAMINATING FILM				
<i>Concept</i> [®] 101 Lustre Overlaminating Film is a flexible 3.0 mil lustre clear vinyl film with a permanent overlamine adhesive and a 53# liner. Popular choice between High Gloss and Matte finishes while providing UV protection.	101-31	31" x 150'	147.25	.38
	101-38	38" x 150'	204.25	.43
	101-51	51" x 150'	229.50	.36
	101-514	51" x 400'	569.50	.335
	101-54	54" x 150'	236.25	.35
	101-61	61" x 150'	252.00	.33
102 MATTE OVERLAMINATING FILM				
<i>Concept</i> [®] 102 Matte Overlaminating Film 3.0 mil matte clear vinyl film has a permanent overlaminating adhesive and a 53# liner. Provides the ultimate in non-glare properties while offering UV protection.	102-31	31" x 150'	147.25	.38
	102-38	38" x 150'	204.25	.43
	102-51	51" x 150'	229.50	.36
	102-514	51" x 400'	569.50	.335
	102-54	54" x 150'	236.25	.35
	102-61	61" x 150'	252.00	.33

OVERLAMINATING FILM

Mounting & Laminating

CONTINUED

Concept
MOUNTING,
LAMINATING & MEDIA PRODUCTS

LAMINATING FILMS

OVERLAMINATING FILM

	Part No.	Roll Size	Roll Price	Price Per Square Foot
111 DRY ERASABLE OVERLAMINATING FILM				
<i>Concept</i> [®] 111 Dry Erasable Overlaminating Film is 2.0 mil clear polypropylene with permanent overlaminating adhesive and a 53# liner. Designed for dry erase applications while providing UV protection.	111-27	27" x 150'	152.30	.45
	111-38	38" x 150'	218.50	.46
	111-51	51" x 150'	229.50	.36
	111-54	54" x 150'	243.00	.36

108 TEDLAR[®] OVERLAMINATING FILM				
<i>Concept</i> [®] 108 Tedlar [®] Overlaminating Film is 1.0 mil clear durable outdoor film with permanent overlaminating adhesive and a 53# liner. Provides excellent UV protection and abrasion resistance.	108-38	38" x 150'		
	108-51	51" x 150'		
	108-54	54" x 150'		

TEDLAR - DISCONTINUED

109 SCRATCH RESISTANT OVERLAMINATING FILM				
<i>Concept</i> [®] 109 Scratch Resistant Overlaminating Film is 5.0 mil textured vinyl with a 1.5 mil permanent adhesive and a 1.5 mil clear polyester liner. Textured and durable finish while providing UV protection.	109-38	38" x 150'	375.25	.79
	109-51	51" x 150'	395.25	.62
	109-54	54" x 150'	411.75	.61

103 5.0 VELVET/GLOSS OVERLAMINATING FILM				
<i>Concept</i> [®] 103 5.0 mil Velvet/Gloss Polycarbonate Overlaminating Film has 1.5 mil permanent adhesive and a 1.5 mil clear polyester liner. Textured finish that's both durable and pleasing for mounted, curved or rolled graphics while providing UV protection.	103-38	38" x 150'	456.00	.96
	103-51	51" x 150'	624.75	.98
	103-54	54" x 150'	654.75	.97
	103-61	61" x 150'	709.00	.93

104 15.0 VELVET/GLOSS OVERLAMINATING FILM				
<i>Concept</i> [®] 104 15 mil Velvet/Gloss Polycarbonate Film has 1.5 mil permanent adhesive and a 3.0 mil clear polyester liner. Designed to provide the right combination of rigidity and flexibility for curved and rolled graphics. The popular textured finish provides a very durable surface that can endure abrasions caused by repeated rolling and unrolling of graphics for portable trade show booths. This product also provides excellent UV protection.	104-38	38" x 150'	784.00	1.65
	104-51	51" x 150'	1144.00	1.795
	104-54	54" x 150'	1205.00	1.785
	104-61	61" x 150'	1282.00	1.68

MACtac® Performance Graphics



VEHICLE WRAP

From Buses to Trucks to Race Cars . . .

MACtac® IMAGin® JT5600 & Permacolor LF3600 Wrap it all up!

- Superior color reproduction
- Highly conformable; rivets, curves and corrugations . . . no problem!
- 8 years outdoor durability, cleanly removable for up to 5 years
- Gloss or matte finish

IMAGin® JT 5600 Series . . . cast digital media - solvent based inkjet



MACTAC IMAGIN®



Location: Vehicle Graphics, Danica Patrick - Team Rahal, Indy 500
Material: Permacolor® LF3699



Location: Hockey Hall of Fame, Ontario, Canada



Location: Internally Illuminated Sign, Europe
Material: Backlit film




JT5629P is a 2-mil gloss white, high performance stabilized, soft cast PVC film designed for solvent-based, ink jet printing. The product is coated on one side with a **repositionable permanent, grey, acrylic pressure sensitive adhesive** and supplied with a 90# polycoated 2-sided liner. JT5629P is designed for long-term outdoor graphics, automotive wraps and promotion applications on flat to complex curved surfaces. Additionally, the product is cleanly removable with heat when overlaminated, for up to five years.

Typical Uses:

- Fleet graphics
- Bus and automobile wraps
- Long-term outdoor signs

Note JT5629P is now discontinued and has been replaced with JT 5529P as shown on page 24

PERMACOLOR® High-Performance Clear PS Overlaminates




LF3660 is a 2-mil clear gloss highly conformable cast PVC film designed for overlaminating solvent-based ink jet media. The product is coated on one side with a **clear permanent acrylic pressure sensitive adhesive** and supplied with a clear polyester liner.

LF3660 is designed for use with JT5629P, JT5628P or JT5529P in long-term outdoor, fleet or vehicle markings on flat, curved or riveted surfaces. Additional UV protection is built into the overlaminating film to help resist color fade caused by ultraviolet light.

Also available in matte

LF3688 - 54" x 150 feet	823.00
LF3689 - 60" x 150 feet	914.00

High-Performance - Solvent-based, UV Cured Ink Jet Media TRANSLUCENT BACKLIT FILM



JT5728P is a 3.1-mil translucent, matte white, soft, polymeric plasticized, calendered PVC film designed for solvent-based ink jet printing. The product is coated on one side with a **permanent, clear, acrylic pressure sensitive adhesive** and is supplied with an 86# Kraft liner. JT5728P is designed for internally illuminated signs (light boxes).

Features and Benefits:

- Seven year outdoor durability.
- Permanent, solvent-based acrylic adhesive.
- Matte white finish provides excellent ink anchorage.

Typical Uses:

- Light boxes.

54" x 164 feet 823.00



MACtac® Performance Graphics



MACTAC OVERLAMINATES

PERMACOLOR® Digital PS Overlamines

LF6500 Series is a family of clear pressure sensitive adhesive coated films that are available in a variety of surface finishes. These films are specifically designed to be laminated to digital images (ink jet, electrostatic and thermal) and will also work well on photographic prints and transparencies. The LF6500 products protect the images from abrasion, moisture, UV light and other potentially damaging climates. The products can be used for indoor or outdoor applications. All LF6500 products have a white paper liner that is removed prior to lamination.




Location: Alpha Romeo Display
Material: Digital PS Overlamines

Tips:

Cleaning instructions for clear PS overlaminates:

- 1) Use a clean, soft, lint-free cloth.
- 2) Use standard glass cleaner (Windex™, Glass Plus™, etc.)
- 3) Spray the cleaner onto the cloth, NOT onto the image. Do not over saturate the cloth.
- 4) Wipe down the image with the wet cloth.
- 5) Dry with a clean, soft, dry cloth.
- 6) If the edges of the image are not sealed, take care not to introduce cleaner to the adhesive. Over time, edge lifting will occur (MACTac recommends you always seal the edges of a graphic during the finishing process).



TEXTURED

LF6530 is a 4.3-mil textured vinyl film coated on one side with a clear acrylic pressure sensitive adhesive. Recommended for indoor or outdoor applications, it also helps reduce color fade caused by UV light exposure.

- UV inhibitors to reduce color fade.
- Textured finish protects from abrasions. **LF6537 - 51.2" x 164 feet - 370.00**



SEMI-MATTE

LF6540 is a 2.9-mil semi-matte vinyl film coated on one side with a clear acrylic pressure sensitive adhesive. Recommended for indoor or outdoor applications, it also helps reduce color fade caused by UV light exposure.

- UV inhibitors to reduce color fade.
- Semi-matte finish reduces glare. **LF6548 - 55.1" x 164 feet - 379.00**



MATTE

LF6550 is a 2.9-mil matte vinyl film coated on one side with a clear acrylic pressure sensitive adhesive. Recommended for indoor or outdoor applications, it also helps reduce color fade caused by UV light exposure.

- UV inhibitors to reduce color fade.
- Matte finish reduces glare. **LF6558 - 55.1" x 164 feet - 379.00**



GLOSS


LF6560 is a 2.9-mil high gloss vinyl film coated on one side with a clear acrylic pressure sensitive adhesive. Recommended for indoor or outdoor applications, it also helps reduce color fade caused by UV light exposure.

- UV inhibitors to reduce color fade.
- High gloss finish enhances colors for vibrant image. **LF6568 - 55.1" x 164 feet - 379.00**

MOUNTING

PERMACOLOR® High-Performance Mounting Films

OPAQUE PLASTIC



IP5000 Series consists of a thin, opaque plastic film coated on both sides with an acrylic pressure sensitive adhesive. Moisture stable, polycoated Kraft liner protects the adhesive.

Designed for quick adhesion to a variety of mounting surfaces. Single release liner permits easy lamination and eliminates the need to remove a second liner.

Features and Benefits:

- One paper release liner allows for fast lamination.

Typical Uses:

- Mounting of images to black gator, Sintra and other difficult substrates.

Stock No.	Roll Width & Length	Price
IP5002	51" x 150 feet	443.00
IP5013	43" x 150 feet	385.00
IP5007	37" x 150 feet	326.00
IP5003	31" x 150 feet	282.00
IP5015	25" x 150 feet	226.00
IP5004	21" x 150 feet	195.00



Location: Pelle Island Museum, Cleveland, OH

Material: Permacolor® IP5000, IP7300

MACTac's pressure sensitive mounting films are intended for "cold roll lamination" (40°-104°F / 4°-40°C).

The addition of heat while simultaneous mounting with thermal overlaminates may result in curl or have other detrimental effects on the finished product.



FLEXCON



COMPUTER POLYESTERS

POLYESTERS

METALIZED POLYESTERS

Custom films with the brilliance and lustre of true metal foils and the handling and workability of vinyl.

1 & 2 sided colour and crystal clear adhesive. Good for indoor and promotional applications. A high tack premask is recommended.

Price per yard

BRIGHT SILVER (CHROME) POLYESTER (1 SIDE)			
WIDTH	1-9 YDS	10 YDS	50YDS
15" Punched	3.55	3.25	2.95
20" Non Punched	7.70	6.25	5.25
24" Non Punched	4.45	3.95	3.50
30" Non Punched	11.50	9.35	7.85
48" Non Punched	17.50	14.30	11.95
54" Non Punched	18.50	14.95	12.75

Price per yard

BRUSHED SILVER (CHROME) POLYESTER (1 SIDE)			
WIDTH	1-9 YDS	10 YDS	50 YDS
15" Punched	3.95	3.65	3.25
20" Non Punched	7.70	6.25	5.25
24" Non Punched	9.15	7.50	4.95
30" Non Punched	11.50	9.35	7.85
48" Non Punched	17.50	14.30	11.95
54" Non Punched	18.50	14.95	12.75

BRIGHT GOLD POLYESTER (1 SIDE)			
WIDTH	1-9 YDS	10 YDS	50 YDS
15" Punched	5.60	4.55	3.85
20" Non Punched	7.70	6.25	5.25
24" Non Punched	9.15	7.50	6.25
30" Punched or Non Punched	11.50	9.35	7.85
48" Non Punched	17.50	14.30	11.95
54" Non Punched	18.50	14.95	12.75

BRIGHT GOLD 2 SIDES, & BRUSHED GOLD 1 SIDE			
WIDTH	1-9 YDS	10 YDS	50 YDS
15" Punched	8.80	7.15	6.00
20" Non Punched	12.45	9.55	8.00
24" Non Punched	14.95	11.50	9.70
30" Punched or Non Punched	18.50	14.25	12.00
48" Non Punched	28.50	21.75	17.25
54" Non Punched	29.95	22.95	18.25

HOLOGRAPHIC PRISMATIC FILM

A METALIZED light diffraction material depicting colours of the spectrum.

AVAILABLE IN: • SPARKLE #2016 • RAINBOW

PRICE PER YARD			
WIDTH	1-9 YDS	10 YDS	50 YDS
15" Punched	9.25	7.85	6.35
20" Non Punched	13.90	11.75	9.25
24" Non Punched	14.50	12.25	9.95
30" Punched or Non Punched	18.50	15.50	12.25
48" Non Punched	27.50	23.00	18.50

OVERLAMINATES

OVERLAMINATES

PRICE PER YARD

2 mil Clear Vinyl Overlaminates (Glossy)	AVDOL1000	24"	30"	36"	48"	54"	60"
50 Yards		6.45	8.00	9.95	12.25	15.40	16.25
10 to 49 Yards		7.45	9.25	11.50	14.75	18.40	19.25

2 mil MATTE Cast	AVDOL1100	24"	30"	33"	48"
50 Yards		6.45	8.00	8.85	12.25
10 to 49 Yards		7.45	9.25	10.15	14.75

2.8 mil GLOSS Cal	AVDOL0501	15"	20"	24"	30"	36"	45"	48"	60"
55 Yards		2.95	3.90	4.55	5.70	6.75	8.25	8.50	10.50
25 to 54 Yards		3.50	4.50	5.45	6.75	7.90	9.50	9.85	12.25
10 to 24 Yards		4.25	5.50	6.50	8.25	9.25	11.35	11.70	14.40

1 mil CLEAR Poly Overlaminates (Matte)	FLDOL1000	18"	36"	50"	54"
50 Yards		2.35	4.65	4.90	5.10
25 to 49 Yards		3.00	5.75	6.00	6.35
10 to 24 Yards		3.50	6.75	7.00	7.25

2 mil CLEAR Poly Overlaminates (Glossy)	FLDOL2000	18"	27"	36"	50"	54"	60"
50 Yards		2.75	3.00	5.00	5.45	5.75	6.25
25 to 49 Yards		3.15	3.45	5.75	6.00	6.50	7.00
10 to 24 Yards		3.50	3.85	7.00	7.25	7.75	8.60