# INVENTORY CLEARANCE - Prices apply only while quantities below last

If ordering please check by phone or email to determine if items are still available 905-624-3124 1-800-543-2796 info@graphiccommerce.com

# Sign Supplies Sale

#### **ORDER ANY QUANTITY**



# BANANA BANNER

With hems and grommets SALE
OUANTITY REGULAR PRICE-ea.

	Q0111,1111	112002111	
Yellow 22 inch width	40 yds.	5.70yd.	2.25 yd.



# Vinyl Banner Material no hems or grommets

**Pressure Sensitive Films Sign Vinyl - Sheet Stock** 

QUANTITY

REGULAR PRICE SALE PRICE-ea.

•			
27"x38" sheets - 4 mil matte white blockout vinyl - perm. adhes.	25 sheets	4.60 sheet	2.00 sheet
27"x38" sheets - 8 mil white static cling vinyl	100 sheets	3.50 sheet	1.50 sheet

INVENTORY CLEARANCE - Prices ap	ply only whil	e quantities	below last
PRODUCT Art & Sign Supplies	QUANTITY	REGULAR PRICE	SALE PRICE-ea.
BIG BLADE INDIGO -FLEXIBLE 3" x 4"  Removes graphic, preventing scratches. Double edged. Chemically resistant	218	1.65	.97 ea.
"Go Doctor" replacement blade - blue only "Go Doctor" " - red only	8 5	15.85 15.85	3.95
"Biddi" replacement blade blade only	7	12.95	2.00
BUY		REGULAR PRICE ea.	SALE PRICE-ea.
"X-acto"#8R Lt. Wt. Utility blade - Pk./ 5	7pkg. 5	3.25 pkg/5	.50 pkg/5
"Coro-Claw" Blade - for 10 mil Coro-Claw cutter	20 blades	21.95 ea.	9.00 ea.
"Olfa COB-1" Blades - for "Olfa CMP compass cutter" pkg./15	30 pkg/15	4.95 pkg/15	1.00 pdg.15
Olfa Blades LBB 10B Carbon blade for Olfa L-1 and L-2 Knife -pkg. of 10 ABB 10B Carbon blade for Olfa Model A Knife -pkg. of 10 TSB=1 Blades for OlfaTS-1 Top Sheet Cutter - pkg. of 5	12 14 10	8.95 6.35 3.45	5.95 4.75 1.95
		6.75	4.65
3M 201 Utility Masking Tape 1/2" x 60 yds.  The crepe-paper backing conforms to irregular surfaces and is an ideal, everyday-use tape that sticks confidently yet removes cleanly and conveniently.	41rolls	1.90 roll	.50 roll
Aluminum Leaf - 5 1/2"x5 1/2"  Made from pure aluminum and is also known as "Imitation Silver Leaf".  It can be used wherever the color of silver is desired, except on glass. pack of 20 books - 25 leaves book - total 500 leaves per pack.	9 packs	108.00 pack	20.00 pack

# INVENTORY CLEARANCE - Prices apply only while quantities below last

## **Sign Supplies**

**QUANTITY** 

REGULAR SALE **PRICE** 

**PRICE** 

#### Fasnap Self Piercing Grommets



**Fasnap Grommets** (for Fasnap machine only)

No.	Size	Quantity	pkg/500	pkg/500
#0	- 1/4" Brass	2500	62.00	35.00
#1	-5/16"Brass	1500	67.00	39.00
#3	-7/16"Brass	600	152.00	83.00
#4	-5/8" Brass	900	163.00	99.00
#1	- 1/4" Nickel	3000	62.00	35.00





**Fasnap Grommet Machine Dies** 

#210- for 1/4"i.d. grommets (#0 grommet)	1	170.00	95.00
	1		
#230- for 5/16" id. grommets (#1 grommet)	2	170.00	95.00
#280- for 7/16"i.d. grommets (#3 grommet)	2	185.00	130.00
#300- for 5/8 " id. grommets (#4 grommet)			
#300-101 3/6 Id. grommets (#4 grommet)	1	185.00	130.00





(Canvas, plastic, nylon mesh) EACH KIT

- Grommet Die ( Mini)
- Punch (Mini)
- · Cutting Board

**CONTAINS:** 

• Instructions on back.

#4 kit Brass w/24 brass grommets 1/2"i.d.	2	32.50	22.50
#4 kit Nickel w/24 nickel grommets 1/2"i.d.	2	34.00	24.00





**GROMMET DIE SET #216 OSBORNE** 

#216-1 set for #1 grommet 5/16" #216-4 set for #4 grommet 1/4"

56.95 28.95

73.00

42.00

Osborne Punch #1A for 5/16" i.d. grommet holes 1

18.00 27.25

1



Osborne Punch #4A for 1/2" i.d. grommet holes 23.00 31.85



"Osborne Manual Grommets and

Washers

for "Osborne Die sets and Mini-kits.

Brass - 144 per box			1
size 4 - 3/8" i.d.	3 boxes	38.75 box 144	28.65 box 144



## INVENTORY CLEARANCE - Prices apply only while quantities below last

## "Seal Brand" digital media-laminates-vinyls

**QUANTITY** 

REGULAR PRICE

SALE PRICE

#### Pressure-Sensitive Laminating Films

"Seal Print Shield" Textured Matte Laminating Film

Print Shield Base Textured Matte is a cost effective, 3mil vinyl over-laminate specifically designed to offer outstanding protection against dirt, moisture and abrasion. Print Shield Base Textured Matte is suitable for both indoor & outdoor applications.



Item # 83196 - roll size 38" x 200	1 roll	222.00	71.00
ftem # 83197 - roll size 51" x 200 ft.	1 roll	296.00	68.00
Item # 83198 - roll size 54" x120 ft.	1 roll	189.00	59.00



#### Print Shield® Anti-Graffiti Wins Product of the Year at SGIA Expo

This product safeguards prints which may become vulnerable to graffiti by making them washable and resistant to a very large number of detergents and solvents. Print Shield consists of a high performance PCTFE film which protects images printed on UV or solvent inkjet printers from a wide variety of stains and chemicals such as paint, permanent marker, and acrylics

QUANTITY REGULAR SALE PRICE

Item 62276 Anti-Graffiti 54"x 150ft.

1 roll 1399.00

699.00

## Self Adhesive Print Media for Window Applications

Ultra Clear Pet - item no. 60342 roll size 50" x 98 ft.

UltraClear PET is a 4.9 mil optically clear polyester film used for many different graphic and design applications. It's unique ultra clear silicone adhesive is repositionable and removable. This product is great for architectural design, including glass office partitions, POP and retail signage and window graphics. Designed for use with solvent, eco-solvent, latex and UV-curable inks.











# Sure-Cut<sup>™</sup> Plotter Blade Series



Target Plotters	Configuration	Angle	Part #	Description	List Price	Sal
• Gerber III/IV, S/750 Sprint Series Lettersmith GS15 Plus • Anagraph Excel 1/1m • Compugraphicarty	5 in sto	ock 45° ck 60°	SC-1045 SC-1060	SC-1000 Carbide Series  Our unique design enhancement reduces blade drag and improves cutting of small characters and graphics on standard pressure-sensitive materials. For best results, use the following recommended blade angles when cutting these material thicknesses: 30° 2-4 mil / 45° 4-12 mil / 60° 12 mil+.	30.59	Pri
Gerber III/IV, S/750 Sprint Series Lettersmith Anagraph Excel 1/1m Compugraphicarty	8 in stock	1000	G-45 G-60	Standard Gerber Configuration Carbide G-Series Limited to cutting 1/2" letters and up. For best results, use the following recommended blade angles when cutting these material thicknesses: 30° 2-4 mil / 45° 4-12 mil / 60° 12 mil+.	26.25	6.95
All Roland     Allen     Datagraph 936/800     CSR Ecom-2     Anagraph - EMS     Vinyl Express     Lynx     Panther	4 in stock	30°	SC-1330	SC-1300 Carbide Series SC-1345 is the substitute for Roland PRC 145-01 blades. For best results, use the following recommended blade angles when cutting these material thicknesses: 30° 2-4 mil / 45° 4-12 mil / 60° 12 mil+ with an offset of .015.	59.75	19.00
Ioline Studio 7/8     Artpro Series /     Super 88 / Smartrac     (small blade)     Techno-Arts     Switchblades     Classic     K-Cad-RBL-C	9 in stock	30°	SC-1430 SC-1460	SC-1400 Carbide Series Substitute for Ioline PN 103233. For best results, use the following recommended blade angles when cutting these material thicknesses: 30° 2-4 mil / 45° 4-12 mil / 60° 12 mil+.	43,20	10.95
American Graphtec Cutting Pro / FC-Series     Nova Cut	0 in stock	60°	SC-1960	SC-1900 Carbide Series Similar to CB-09U blade offered by plotter manufacturer, except GAP blade tips have the advantage of being constructed out of carbide, not steel! Carbide tipped blades offer much better durability and longer performance. For best results, use the following recommended blade angles when cutting these material thicknesses: 45° 2-6 mil / 60° 6 mil+ with an offset of ,018	53.90	23.00
Mimaki     CG-Series     New Star     DGI Omega	11 in sto 8 in stock	ck 40° 56°	SC-2040 (Type 3) SC-2056 (Type 5)	SC-2000 Carbide Series For best results, use GAP SC-2037 (Type 1-round tip blade) on 2-4 mil material thicknesses, with .2530 offset setting. Use GAP SC-2040 (Type 3-beveled edge blade) on 2-4 mil for cutting small letters and detail, with .125 offset setting. Use GAP SC-2056 (Type 5-round tip blade) on materials 4 mil and up, with .29 offset setting.	61.00	25.00



# Sure-Cut™ Plotter Blade Series



Target Plotters	Configuration	Angle	Part #	Description	List Price	
Gerber GSX, GXX-Plus, HS Swivel	5 in stock	60°	SC-2760	SC-2700 Carbide Blade Series Substitute for Gerber P44985B blade. For best results, use the following recommended blade angles when cutting these material thicknesses: 42° 2-6 mil / 60° 6 mil+.	71.00	19.95ea
Summagraphics T-Series (Insert Blade Holder)	1 in stock	k 36° 60°	SC-3036 SC-3060	SC-3000 Carbide Series SC-3036 is the substitute for Summagraphics 390-549 blade. SC-3060 is the substitute for Summagraphics 390-550 blade. For best results, use the following recommended blade angles when cutting these material thicknesses: 36° 2-12 mil / 60° 12 mil+.	51.50	23.95ea
American Graphtec (New Holder)	/ 44/	cock 45°	SC-3245 SC-3260	SC-3200 Carbide Series Substitute for American Graphtec CB-15U. Designed for thick materials. For best results, use the following recommended blade angles when cutting these material thicknesses: 35° 2-12 mil / 60° 12 mil +.	79.50	23.95ea
Summagraphics D-Series GRI	5 in stock	60°	SC-3360	SC-3300 Carbide Series Substitute for Summagraphics 391-360. For best results, use the following recommended blade angles when cutting these material thicknesses: 35° 2-12 mil / 60° 12 mil+ with an offset of .017.	42.30	22.95e
Mutoh XP-Series Gerber Emboss Track, Odyssey P-Cut 630 Creation	13 in stock 15 in stock	30° ock 45° 60°	SC-3830 SC-3845 SC-3860	SC-3800 Carbide Series Substitutes for the Mutoh 300936 30°, 300937 45° and 300938 60° blades. For best results, use the following recommended blade angles when cutting these material thicknesses: 30° 2-4 mil / 45° 4-12 mil / 60° 12 mil+.	61.00	19.75ea
Mutoh     SC-Series     Gerber Fast Track	5 in stock 8 in sto 5 in stock	17.5	SC-4130 SC-4145 SC-4160	SC-4100 Carbide Series Substitute for Gerber P61639A with brass coller. For best results, use the following recommended blade angles when cutting these material thicknesses: 30° 2-6 mil / 45° 6-12 mil / 60° 12 mil+.	53.00	17.75ea
• Envision • SP-1500	13 in stock 3in stock 5 in stock	30° 45° 60°	SC-4530 SC-4545 SC-4560	SC-4500 Carbide Series  For best results, use the following recommended blade angles when cutting these material thicknesses:  30° 2-4 mil / 45° 4-12 mil / 60° 12 mil+.	61.00	15.75ea

