

Digital Print Media for Eco-Solvent, Solvent, Latex & UV Curable Inkjet



for full adhesive and
ink chart explanations
see page 20

MATTE WHITES

PRODUCT DESCRIPTION	PART #	SIZE	ROLL PRICE	per sq. ft.	adhesive	ink printability chart
SERIES 201 3.4 mil - Matte White Vinyl - 5yr Clear Permanent Adhesive 90# Layflat Liner	201-54 201-60	54"x150' 60"x150'	245.00 278.00	.36 .36		solvent latex U.V.
201 - HTAP 3.4 mil - Matte White Vinyl - 5yr Clear High-Tack Permanent Adhesive 90# Layflat Liner (British Standard BS-5609 1986 Section 2 & 3 Certified)	201HTAP-54 201HTAP-60	54"x150' 60"x150'	285.00 317.00	.43 .43		
201 - OAP 3.4 mil - Matte White Opaque Vinyl - 5yr Grey Permanent Adhesive 90# Layflat Liner	201OAP-54 201OAP-60	54"x150' 60"x150'	252.00 281.00	.37 .37		
201-OAPAE NEW - 201-OAP with AIR EGRESS 90# liner	201OAPAE-54	54"x150'	319.00	.47- click here for sales sheet & specs		
202 3.4 mil - Matte White Vinyl - 1yr Clear Low-Tack Removable Adhesive 90# Layflat Liner	202-54 202-60	54"x150' 60"x150'	262.00 287.00	.38 .38		
214 3.2 mil - Matte White Promotional Vinyl - 2yr Clear Permanent Adhesive 80# Clay-Coated Liner	214-54 214-60	54"x150' 60"x150'	206.00 229.00	.32 .32		
222 6.0 mil - Matte White Semi-Rigid Vinyl - 3yr Clear Permanent Adhesive 90# Tight Release Liner	222-54	54"x100'	232.00	.51		
223 6.0 mil - Matte White Semi-Rigid Vinyl - 1yr Clear Low-Tack Removable Adhesive 90# Tight Release Liner	223-54	54"x100'	238.00	.53		

GLOSS WHITES

203 3.0 mil - Gloss White Vinyl - 5yr Clear Permanent Adhesive 90# Layflat Liner	203-54 203-60	54"x150' 60"x150'	243.00 273.00	.36 .36		
203 - OAP 3.0 mil - Gloss White Opaque Vinyl - 5yr Grey Permanent Adhesive 90# Layflat Liner	203OAP-54 203OAP-60	54"x150' 60"x150'	251.00 279.00	.37 .38		
203-OAPAE NEW - 203-OAP with AIR EGRESS 90# liner	203OAPAE-54	54"x150'	319.00	.47- click here for sales sheet & specs		
204 3.0 mil - Gloss White Vinyl - 1yr Clear Low-Tack Removable Adhesive 90# Layflat Liner	204-54 204-60	54"x150' 60"x150'	253.00 291.00	.37 .38		
216 3.2 mil - Gloss White Promotional Vinyl - 2yr Clear Permanent Adhesive 80# Clay-Coated Liner	216-54 216-60	54"x150' 60"x150'	206.00 229.00	.32 .32		
246 2.4 mil - Gloss White Premium Vinyl - 7yr Grey Permanent Adhesive 90# Layflat Liner	246-54 246-60	54"x150' 60"x150'	483.00 538.00	.71 .71		
220 NEW 6.0 premium gloss white semi-rigid calendered PVC permanent acrylic adhesive 90# lay flat liner	220-54	54"x100'	246.00	.54- click here for sales sheet & specs		

GLOSS CLEARS

221 NEW 6.0 premium gloss white semi-rigid calendered PVC permanent acrylic adhesive 90# lay flat liner	221-54	54"x100'	246.00	.54- click here for sales sheet & specs.		
205 3.0 mil - Gloss Clear Vinyl - 3yr Clear Permanent Adhesive 90# Layflat Liner	205-54 205-60	54"x150' 60"x150'	269.00 299.00	.39 .39		
206 3.0 mil - Gloss Clear Vinyl - 1yr Clear Low-Tack Removable Adhesive 90# Layflat Liner	206-54 206-60	54"x150' 60"x150'	269.00 299.00	.39 .39		
247 2.4 mil - Gloss Clear Premium Vinyl - 7yr Clear Permanent Adhesive 90# Layflat Liner	247-54 247-60	54"x150' 60"x150'	431.00 479.00	.64 .64		
255 NEW 3.0 mil - Optically clear high gloss flexible PVC with optically clear solvent removable adhesive laminated to a 2mil traction backed polyester liner	255-54	54"x150'	421.00	.62 - click here for specs on 255 clear		
219 NEW 6.0 mil Gloss Clear Semi-Rigid Vinyl with a Low-tack Adhesive. Ideal for Windows	219-54	54"x150'	251.00	.56- click for specs on 219 clear		
207 7.0 mil - Clear Static Cling 90# Layflat Liner	207-27 207-54	27"x75' 54"x75'	92.00 146.00	.56 .44		
208 7.0 mil - White Static Cling 90# Layflat Liner	208-27 208-54	27"x75' 54"x75'	97.00 151.00	.59 .45		

STATIC

Digital Print Media for Eco-Solvent, Solvent, Latex & UV Curable Inkjet



	SERIES	PRODUCT DESCRIPTION	PART #	Roll size	Roll Price	Sq. Ft.	Adhesive	Ink type
TRANSIT	209 	MetroMark 3.5 mil - Matte White Opaque "Transit" Vinyl Clear Removable Adhesive 90# Layflat "Printed Logo Liner"  TITAN Approved	209-54 209-64	54"x150' 64"x150'	292.00 341.00	.44 .43		
	275 NEW 	SubMark 3.5 mil - Matte White Opaque "Transit" Vinyl Clear High-Tack Adhesive 90# Layflat "Printed Logo Liner"  Approved	275-54 275-60 275-62	54"x150' 60"x150' 62"x150'	494.00 498.00 490.00	.73 .66 .64		
	228 	TransMark 6.0 mil - Matte White Translucent Vinyl - 2yr Clear Removable Adhesive 90# Layflat Liner VERIFONEMEDIA Taxi Top Approved	228-54 228-60	54"x100' 60"x100'	522.00 580.00	1.15 1.15		
FLOOR & CARPET	210 	Traffic Graphic 3.4 mil - Matte White "Floor Advertising" Vinyl Clear Removable Adhesive 90# Layflat Liner	210-54	54"x150'	304.00	.45		
	212 	Traffic Graphic 3.4 mil - Matte White "Carpet Advertising" Vinyl Clear High-Tack Removable Adhesive 90# Layflat Liner	212-54	54"x150'	304.00	.45		
	*211 	Traffic Graphic 6.0 mil - Gloss Clear Laminate Clear Permanent Adhesive 53# Liner  TRAFFIC GRAPHIC CLASSIFIED BY UNDERWRITERS LAB RATORIES, INC.® AS TO SLIP RESISTANCE ONLY 4R#3	*211-54	54"x150'	437.00	.65		
	*109 	Traffic Graphic 5.0 mil - Scratch Resistant Textured Laminate Clear Permanent Adhesive 1.5 mil Clear Polyester Liner	*109-51 *109-54	51"x150' 54"x150'	468.00 492.00	.74 .74		
TRANSLUCENTS	224 	TransMark 3.2 mil - Matte White Translucent Vinyl - 5yr Clear Permanent Adhesive 90# Layflat Liner	224-54 224-60	54"x150' 60"x150'	632.00 702.00	.93 .93		
	225 	TransMark 3.2 mil - Matte White Translucent Vinyl - 2yr Clear Removable Adhesive 90# Layflat Liner	225-54 225-60	54"x150' 60"x150'	656.00 729.00	.98 .98		
	228 	TransMark 6.0 mil - Matte White Translucent Vinyl - 2yr Clear Removable Adhesive 90# Layflat Liner VERIFONEMED Taxi Top Approved	228-54 228-60	54"x100' 60"x100'	522.00 580.00	1.15 1.15		
WALLS	252 	Wall-Tux - click here for info and specs. 6.0 mil - Matte White Woven Polyester Wall Fabric with added opacity. Removable-Repotionable Clear Wall Adhesive.	252-54 252-60	54"x100' 60"x100'	513.00 571.00	1.13 1.13		
	229 NEW 	WallMark Canvas - click here for info and specs. 6.0 mil - Matte White Embossed Canvas Wall Vinyl Clear Low Tack Adhesive - 90# Tight Release Liner	229-54 229-60	54"x100' 60"x100'	395.00 439.00	.88 .88		
	226 	WallMark 6.0 mil - Matte White Semi-Rigid Wall Vinyl Clear Low-Tack Microsphere Beaded Adhesive 90# Tight Release Liner	226-54	54"x100'	322.00	.71		
	234 	GraphiTex 7.0 mil - Matte White Polyester Wall Fabric Film Clear Low-Tack Wall Adhesive 90# Layflat Liner	234-54 234-60	54"x100' 60"x100'	551.00 612.00	1.23 1.23		
	250 NEW 	WallFrog 4.0 mil - Matte White Polyester Wall Fabric Film Clear Low-Tack Wall Adhesive 90# Layflat Liner	250-54	54"x100'	468.00	1.04		
	285 NEW 	RoughMark 3.5 mil - Matte White Opaque Vinyl Clear High-Tack Solvent Removable Adhesive 90# Layflat Liner click here for sales sheet & specs.	285-54	54"x75'	350.00	1.04		

Digital Print Media for Eco-Solvent, Solvent, Latex & UV Curable Inkjet



WRAPS

SERIES	PRODUCT DESCRIPTION	PART #	SIZE	Roll Price	per sq. ft.	Adhesive	Ink Type
230 	AutoMark 2.4 mil - Gloss White Conformable Wrap Vinyl - 7yr Grey Permanent Adhesive (Rem. Up To 1yr) 90# Airegress Liner (AE)	230-54	54"x150'	568.00	.84		
		230-60	60"x150'	630.00	.84		
231 	AutoMark 2.4 mil - Gloss Clear UV Wrap Laminate Clear Permanent Adhesive 53# Liner	231-54	54"x150'	373.00	.55		
		231-60	60"x150'	414.00	.55		
240 	AutoMark 2.4 mil - Matte Clear UV Wrap Laminate Clear Permanent Adhesive 53# Liner	240-54	54"x150'	373.00	.55		
		240-60	60"x150'	414.00	.55		

WINDOW PERFS

CONCEPT® 232 WINDOWMARK™ PERFORATED FILM (50/50) A 6.0 mil white front side and a black adhesive side - Removable Adhesive	50% open	Width 54"wide	1-9 yds. 29.85 yd.	10 yds. 25.65 yd.	Roll 33.3yds. 745.00(22.35yd.)
CONCEPT® 260 WINDOWMARK™ PERFORATED FILM (60/40) A 6.0 mil white front side and a black adhesive side - Removable Adhesive	40% open	Width 54"wide	1-9 yds. 29.85 yd.	10 yds. 25.65 yd.	Roll 33.3yds. 745.00(22.35yd.)
CONCEPT® 261 WINDOWMARK™ PERFORATED FILM (60/40) A 6.0 mil clear film with a clear removable adhesive.	40% open	Width 54"wide	1-9 yds. 29.85 yd.	10 yds. 25.65 yd.	Roll 33.3yds. 745.00(22.35yd.)
CONCEPT® 270 WINDOWMARK™ PERFORATED FILM (70/30) A 6.0 mil white front side and a black adhesive side - Removable Adhesive	30% open	Width 54"wide	1-9 yds. 29.85 yd.	10 yds. 25.65 yd.	Roll 33.3yds. 745.00(22.35yd.)
CONCEPT® 280 WINDOWMARK™ PERFORATED FILM (80/20) A 6.0 mil white front side and a black adhesive side - Removable Adhesive	20% open	Width 54"wide	1-9 yds. 29.85 yd.	10 yds. 25.65 yd.	Roll 33.3yds. 745.00(22.35yd.)

Note for full details and specs on all Windowmark Perfs - see Page 23

*LSE SPECIALTY

235 	MotoMark Matte White “4 mil GRIP” Vinyl - 5yr Clear High Bond *LSE Permanent Adhesive 90# Layflat Liner	235-24	24”x150’	479.00	1.58	   
		235-54	54”x150’	989.00	1.47	
	*LOW SURFACE ENERGY ** 235-15P (Punched for 15" Gerber Printers and Plotters)					
238 	MotoMark Gloss Clear “12 mil ARMOR” UV Laminate - 5yr Clear Permanent Adhesive 53# Liner	238-24	24"x75'	267.00	1.77	
		238-54	54"x75'	500.00	1.48	

GLASS
ETCH
CHALKFILM

790AE Print-N-Privacy	Printable 3.0 mil Glass Etch (light) w/Air Egress Liner Clear Solvent Permanent Adhesive 90# Air Egress Liner	790AE-54	54"x75'	457.00	1.35		
--------------------------	---	----------	---------	--------	------	--	--

[click here for sales sheet & specs.](#)

CONCEPT 290 CHALKMARK™ Black Matte Film - High-Tack Removable Adhesive		290-24	24"x150'	305.00	1.02		
5 mil matte black chalkboard vinyl with a clear high-tack removable adhesive on a 90# liner. ChalkMark™ is commonly used to produce decorative vinyl graphics on vinyl cutting equipment and for covering large areas for menu boards or murals. See recommendations on usage of chalk and markers for application to this film - click here for technical sheet.		290-48	48"x150'	595.00	.99		

ADHESIVE LEGEND FOR CONCEPT LINE

Permanent Adhesive / Clear	Removable-Positionable Wall Adhesive / Clear
Permanent-Positionable Adhesive / Grey	Removable Adhesive / Clear
High-Tack Permanent Adhesive / Clear	Low-Tack Removable Adhesive / Clear@
Permanent Opaque Adhesive / Grey	High-Tack Removable Adhesive / Clear
High-Tack Adhesive / Clear	

Adhesive Type

Adhesive Color

PRINTABILITY LEGEND

Solvent / Eco-Solvent
Latex
UV Curable

Mounting & Laminating Films



GENERAL LAMINATES

SERIES	PRODUCT DESCRIPTION	PART #	SIZE	Roll Price	per sq. ft.	adhesive
100	3.0 mil - Gloss Clear PVC Laminate Clear Permanent Adhesive 53# Liner					
		100-51	51"x150'	278.00	.44	
		100-54	54"x150'	292.00	.43	
		100-61	61"x150'	310.00	.40	
101	3.0 mil - Lustre Clear PVC Laminate Clear Permanent Adhesive 53# Liner "VeriFone" Taxi Top Solution / TITAN Approved					
		101-51	51"x150'	270.00	.42	
		101-514	51"x400'	678.00	.40	
		101-54	54"x150'	284.00	.43	
		101-61	61"x150'	301.00	.39	
102	3.0 mil - Matte Clear PVC Laminate Clear Permanent Adhesive 53# Liner					
		102-51	51"x150'	270.00	.42	
		102-514	51"x400'	678.00	.40	
		102-54	54"x150'	284.00	.43	
		102-61	61"x150'	301.00	.39	
400 NEW	3.0 mil - Gloss UV Clear PVC Laminate - 4yr Clear Permanent Adhesive 53# Liner					
		400-54	54"x150'	357.00	.53	
		400-60	60"x150'	397.00	.53	
401 NEW	3.0 mil - Lustre UV Clear PVC Laminate - 4yr Clear Permanent Adhesive 53# Liner					
		401-54	54"x150'	357.00	.53	
		401-60	60"x150'	397.00	.53	
402 NEW	3.0 mil - Matte UV Clear PVC Laminate - 4yr Clear Permanent Adhesive 53# Liner					
		402-54	54"x150'	357.00	.53	
		402-60	60"x150'	397.00	.53	

OPTICALLY CLEARS FLOOR / DISPLAY / COUNTER MATS

103	5.0 mil - Velvet/Gloss Clear Polycarbonate Laminate Clear Permanent Adhesive 1.5 mil Clear Polyester Liner					
		103-51	51"x150'	724.00	1.14	
		103-54	54"x150'	772.00	1.14	
		103-61	61"x150'	835.00	1.09	
* 109	*Traffic Graphic 5.0 mil - Scratch Resistant Textured Laminate Clear Permanent Adhesive 1.5 mil Clear Polyester Liner					
		109-51	51"x150'	468.00	.74	
		109-54	54"x150'	492.00	.74	
* 211	*Traffic Graphic 6.0 mil - Gloss Clear Laminate Clear Permanent Adhesive 53# Liner	211-54	54"x150"	437.00	.65	
	TRAFFIC GRAFFIC CLASSIFIED BY UNDERWRITERS LABORATORIES, INC.® AS TO SLIP RESISTANCE ONLY 4R93					
213	*Traffic Graphic 3.75 mil - Matte Textured Clear Polypropylene Floor Laminate. Economical Short term Interior Laminate. Clear Permanent Adhesive 53# Liner	213-54	54"x150"	321.00	.47	
	TRAFFIC GRAFFIC CLASSIFIED BY UNDERWRITERS LABORATORIES, INC.® AS TO SLIP RESISTANCE ONLY 4R93					
		click here for sales sheet & specs.				
105	2.0 mil - High Gloss Clear Polyester Laminate Optically Clear Permanent Adhesive 1.5 mil Clear Polyester Liner					
		105-51	51"x150'	376.00	.60	
		105-54	54"x150'	396.00	.59	
		105-61	61"x150'	413.00	.54	
106	1.0 mil - Transparent Optically Clear Mount Film Optically Clear Permanent Adhesive 1.5 mil Clear Polyester Liner					
		106-54	54"x150'	665.00	.99	
242 NEW	2.0 mil - Optically Clear UV Gloss Cast Laminate - 5yr Optically Clear Permanent Adhesive 1.2 mil Clear Polyester Liner					
		242-54	54"x150'	774.00	1.16	
		242-60	60"x150'	859.00	1.15	



Mounting & Laminating Films

	SERIES	PRODUCT DESCRIPTION	PART #	SIZE	ROLL PRICE	Per Sq. Ft.	ADHESIVE
TEDLAR®	108 NEW	Tedlar® 1.0 mil - Clear Tedlar® Overlamine - 5yr Clear Permanent Adhesive 53# Liner	108-54	54"x150'	798.00	1.19	
			cut pieces - 54" wide -		17.80	per yd.	
SPECIALTY MOUNTING FILMS	107	1.5 mil - White Opaque Print Mount Film White Opaque Polypropylene High Tack Clear Permanent Adhesive-Both Sides 76# Liner (Self Wound)	107-51	51"x150'	352.00	.55	
			107-514	51"x400'	875.00	.51	
			107-54	54"x150'	371.00	.55	
			107-61	61"x150'	404.00	.53	
	112	0.5 mil - Clear Polyester Print Mount Film High Tack Clear Permanent Adhesive-Both Sides 76# Liner (Self Wound)	112-51	51"x150'	385.00	.55	
			112-514	51"x400'	998.00	.55	
			112-54	54"x150'	406.00	.55	
	113	1.0 mil - Clear Polyester Removable Print Mount Film Clear Permanent Adhesive 1-Side Clear Removable Adhesive 1-Side "Printed" 1.2 mil - Clear Polyester Liner (Self Wound)	113-51	51"x150'	404.00	.63	
			113-514	51"x400'	1069.00	.63	
			113-54	54"x150'	429.00	.64	
	114	1.0 mil - Clear Polyester Removable Print Mount Film Clear Permanent Adhesive 1-Side Clear Removable Adhesive 1-Side 1-Side 76# Liner (Self Wound)	114-51	51"x150'	408.00	.64	
			114-514	51"x400'	1083.00	.64	
			114-54	54"x150'	431.00	.64	
	116 NEW	1.0 mil - Clear Polyester Removable "Air-Egress" Print Mount Film Clear Permanent Adhesive 1-Side Clear Removable Adhesive 1-Side 4.5 mil Clear Air Egress PET Liner	116-54	54"x150'	645.00	.96	
DRY ERASE	111	2.0 mil - Dry Erase Gloss Clear Laminate Polypropylene Clear Permanent Adhesive 53# Liner	111-51	51"x150'	267.00	.42	
			111-54	54"x150'	279.00	.42	
WRAP LAMINATES	231	AutoMark 2.4 mil - Gloss Clear UV Wrap Laminate Clear Permanent Adhesive 53# Liner	231-54	54"x150'	373.00	.55	
			231-60	60"x150'	414.00	.55	
	240	AutoMark 2.4 mil - Matte Clear UV Wrap Laminate Clear Permanent Adhesive 53# Liner	240-54	54"x150'	373.00	.55	
			240-60	60"x150'	414.00	.55	
THICK	238	MotoMark Gloss Clear "12 mil ARMOR" UV Laminate - 5yr Clear Permanent Adhesive 53# Liner	238-24	24"x75'	267.00	1.77	
			238-54	54"x75'	500.00	1.48	
CARBON FIBER	780 NEW	5.6 mil - Polymeric Black Carbon Fiber - 5yr Clear Repositionable-permanent 90# Air Egress Layflat Liner	Code 780-60U 780-30U	Size 60"x150' 30"x150'	Roll Price 1495.00 794.00	(Sq. ft.) 1.99 2.11	
	781 NEW	5.6 mil - Polymeric Argent Carbon Fiber - 5yr Clear Repositionable-permanent 90# Air Egress Layflat Liner	Code 781-60U 781-30U	Size 60"x150' 30"x150'	Roll Price 1495.00 794.00	(Sq. ft.) 1.99 2.11	
	782 NEW	5.6 mil - Polymeric White Carbon Fiber - 5yr Clear Repositionable-permanent 90# Air Egress Layflat Liner	Code 782-60U 782-30U	Size 60"x150' 30"x150'	Roll Price 1495.00 794.00	(Sq. ft.) 1.99 2.11	



WINDOW PERFORATED FILMS

FOR EXTERIOR
APPLICATION
TO GLASS

PRINT WITH
DIGITAL SOLVENT,
ECOSOLVE, LATEX,
OFFSET, & SCREEN
PRINTABLE UV INK.
NOT DIGITAL UV
FOR DIGITAL UV
SEE CONCEPT 270



Concept 260 6 mil White/Black Perforated Window Film

60/40 perf. (40% open) REMOVABLE ADHESIVE

A 6.0 mil white front side and black adhesive side flexible vinyl film with a clear removable acrylic pressure sensitive adhesive on an 84# layflat liner. This film is designed to accept a variety of solvent & UV curable inks common to screen and offset printing. The removable pressure sensitive adhesive is designed for excellent compatibility with vinyl films to give clean removal from glass. The layflat liner offers good dimensional stability in a variety of ambient conditions.

[click here for spec sheet](#)

[click here for optical clear #242 laminate info](#)

Width	1-9 yds.	10 yds.	Roll (33.3yds.)
54" wide	29.85 yd.	25.65 yd.	745.00 (22.35 yd.)

FOR EXTERIOR
APPLICATION
TO GLASS



Concept® 270 6 mil Perforated Window Film

70/30 perf. (30% open) REMOVABLE ADHESIVE

PRINTABLE/w
DIGITAL ECOSOL,
SOLVENT, LATEX,
OFFSET, SCREEN-
PRINTABLE &
DIGITAL PRINT-
ABLE UV INKS.

A 6.0 mil white front side and black adhesive side flexible vinyl film with a clear removable acrylic pressure sensitive adhesive on a layflat liner. This film is designed to accept a variety of solvent-based, including ecosolve, UV and Latex inks common to wide format digital printing. The removable pressure sensitive adhesive is designed for excellent compatibility with vinyl films to give clean removal from glass. The two layer perforated liner system allows for UV digital printing of this product. Overlaminating with Concept® 115 should be considered as a component of the final product - [click here for info on 242 laminate](#).

PRICE PER YARD			
WIDTH	1-9yd.	10 yds.	Roll 33.3yds.
54"	29.85	25.65	745.00 (22.35yd)

[click here for perf spec sheet](#)

FOR EXTERIOR
APPLICATION
TO GLASS



Concept® 232 6 mil Perforated Window Film

50/50 perf. (50% open) - REMOVABLE ADHESIVE

PRINTABLE w
DIGITAL ECOSOL,
SOLVENT, LATEX,
OFFSET, & SCREEN
PRINTABLE UV
INKS
(NOT DIGITAL UV)

A 6.0 mil white front side and black adhesive side flexible vinyl film with a clear removable acrylic pressure sensitive adhesive on an 84# layflat liner. This film is designed to accept a variety of solvent-based inks, including ecosolve, common to wide format digital printing. The removable pressure sensitive adhesive is designed for excellent compatibility with vinyl films to give clean removal from glass. The layflat liner offers good dimensional stability in a variety of ambient conditions. NOT recommended for use with UV curable inks. [click here for spec sheet on #232 perf.](#)

Width	1-9 yds.	10 yds.	Roll (33.3yds.)
54"wide	29.85 yd.	25.65yd.	745.00 (22.35 yd.)

[Click here for Laminate #242 spec. sheet](#)

FOR INTERIOR
APPLICATION
TO GLASS



Concept 261 6 mil Clear Perforated Window Film

60/40 perf. (40% open) - REMOVABLE ADHESIVE

PRINTABLE/w
DIGITAL ECO-
SOLVE ,SOLVENT,
LATEX, OFFSET &
SCREEN PRINTABLE
UV INKS.
(NOT DIGITAL UV)

Clear Perforated Window Film is a 6.0 mil clear flexible vinyl film with a low tack clear repositionable acrylic pressure sensitive adhesive on a layflat liner. This film is designed for use on a variety of solvent and eco-solvent inkjet printers with OEM inks. May also be printed using UV screen and UV Offset processes. The removable pressure sensitive adhesive is designed for excellent compatibility with vinyl films to give clean removal from glass. The layflat liner offers good dimensional stability in a variety of ambient conditions.

Interior mount requires the printer to reverse image one or more colors then provide a full coverage white coat behind the complete image area. Then an opaque black final coat on top of the white is necessary to provide visibility outwards through the window. **Recommended laminate is Concept 242- [click here for info](#).**

Width	1-9 yds.	10 yds.	Roll(33.3yds.)
54"wide	29.85yd.	25.65yd.	745.00 (22.35yd.

[click here for Perf spec sheet](#)



Concept 280 6 mil White/Black 80/20 (20% open) Window Perf Film

Summary: A 6.0 mil white front side and black adhesive side flexible vinyl film with a clear removable acrylic pressure sensitive adhesive on a layflat liner. This film is designed to accept a variety of inks including solvent, eco-solvent, UV and Latex inks common to wide format digital printing. The removable pressure sensitive adhesive is designed for excellent compatibility with vinyl films to give clean removal from glass. The layflat liner offers good dimensional stability in a variety of ambient conditions.

Recommended laminate is Concept 242

Width	1-9 yds.	10 yds.	Roll 33.3yds.
54"wide	29.85 yd.	25.65 yd.	745.00(22.35yd.)

[click here for Perf spec sheet](#)

gudy® window

gudy window is a double sided water-based mounting adhesive that can be applied to the face of a graphic and then face-mounted on interior windows.

Its 1 mil clear polyester carrier has a permanent adhesive on one side and a removable adhesive on the other.

It allows bubble free application of posters to glass or or clear acrylic panels with a simple hand squeegee. Perfect for store-front promotions.



Release Liner
Adhesive
Carrier
Adhesive
Release Liner

Siliconized Paper
Permanent Water-based Acrylic
Clear Polyester (1.0 mil)
Removable Acrylic
Embossed Low Density Polyethylene

Price Schedule

Product no.	Size	Price	Sq.ft.		Product no.	Size	Price	Sq.ft.
62088	38"x 50 ft.	249.00	1.30		62085	61" x 100 ft.	479.00	.79
62081	38"x 100 ft.	296.00	.78		62086	61" x 200 ft.	917.00	.74
82088	51"x 50 ft.	249.00	.98					
62083	51"x 100 ft.	399.00	.78		62080	38" x 15 ft. (introductory)	32.00	



IMAGin® Intermediate - Solvent-based, UV Cured Ink Jet Media

For ICC Profiles – Visit MACtac Website at www.mactac.com

IMAGin®
by MACtac®



Application: Indoor Advertising
Material: IMAGin 5828R



Application: Outdoor Signage
Material: IMAGin JT5829P



Application: Outdoor Signage
Material: IMAGin® JT5829R

JT5800 Series is part of the Viacom endorsed offerings for outdoor advertising.

MATTE WHITE PERMANENT



JT5828P is a 3.7-mil matte white, soft calendered PVC film designed for solvent-based ink jet printing.

This product is coated on one side with permanent, opaque, acrylic pressure sensitive adhesive and supplied with an 86# Kraft liner.

JT5828P is designed for medium-term, indoor and outdoor advertising and promotion on flat or slightly curved surfaces.

54" x 164 feet 359.00

MATTE WHITE REMOVABLE



JT5828R is a 3.7-mil matte white, soft calendered PVC film designed for solvent-based ink jet printing.

JT5828R is coated on one side with removable, opaque, acrylic pressure sensitive adhesive and supplied with an 86# Kraft liner.

JT5828R is designed for medium-term, indoor and outdoor advertising and promotion on flat or slightly curved surfaces.

54" x 164 feet 373.00

GLOSS WHITE PERMANENT



JT5829P is a 3.7-mil gloss white, soft calendered PVC film designed for solvent-based ink jet printing.

The product is coated on one side with permanent, opaque, acrylic pressure sensitive adhesive and supplied with an 86# Kraft liner.

JT5829P is designed for medium-term, indoor and outdoor advertising and promotion applications on flat or slightly curved surfaces.

54" x 164 feet 359.00

GLOSS WHITE REMOVABLE



JT5829R is a 3.7-mil gloss white, soft calendered PVC film designed for solvent-based ink jet printing.

The product is coated on one side with removable, opaque, acrylic pressure sensitive adhesive and supplied with an 86# Kraft liner.

JT5829R is designed for medium-term, outdoor advertising and promotion on flat or slightly curved surfaces.

54" x 164 feet 373.00

wallNOODLE[™]

SHORT TERM WALL MEDIA



Application: Wall Graphics
Material: wallNOODLE[™]



WN628 is a 6.0-mil matte white, semi-rigid calendered PVC film designed for UV screen, and solvent-based ink jet printing. The product is coated on one side with a removable and repositionable acrylic pressure sensitive adhesive and supplied with a 90# SuperFlat[™] liner. WN628 is designed for short term (6 months to one year) indoor wall graphics on smooth, flat surfaces.

Features and Benefits:

- 6.0-Mil matte white semi-rigid facestock
- Easily applied and removed from most interior wall surfaces
- Reusable
- Matte facestock provides superior printability
- Available on 6" cores

Typical Uses:

- Short term (six months to one year) indoor wall graphics
- Designed for smooth, flat surfaces

[CLICK HERE FOR MATERIAL SPECS AND PRODUCT APPLICATION](#)

Physical Properties	Typical Values
Peel Adhesion , lb./in. (N/25 mm) 180° on Stainless Steel - 24 hr	0.85
Quick Tack on SS , lb./in ² (N/25mm)	0.80
Dimensional Stability (shrinkage) , % 48 hours @ 158°F (70°C)	MD 0.40 CD 0.20
Temperature Ranges Minimum Application: End Use:	50°F (+10°C) -20° to 158°F (-6° to 70°C)
Shelf Life: Two years from D.O.M when stored at 60/77°F (15-25°C) and 50% relative humidity in the original packaging.	

PRICE

Size: 54" x 100 Ft. 355.00 per Roll (.76 sq. ft.)

ROODLE[™]



Application: Wall Graphics
Material: ROODLE[™]



ROODLE[™] RO628 is a 6 mil matte white vinyl designed for solvent, eco-solvent, latex, and UV wide format, as well as for screen printing. Designed for tileable wall graphics, posters, decals and bumper stickers, RO628 is supplied on a 90# SuperFlat[™] polycoated release liner for moisture stability regardless of print method.

Features and Benefits:

- ROODLE meets the flame spread and smoke density specifications for ANSI/ NFPA - Class A and IBC - Class A.
- Thick face makes ROODLE easy to install, even without a laminate
- Removable for up to 2 years from most well maintained substrates

Typical Uses:

- Wall murals
- Decals
- Point of purchase displays

Use with:

- PERMACOLOR[®] ColorGard[™] CG8000 Series
- PG7000 Series

[click here for material specs and product application](#)

Physical Properties	Typical Values
Peel Adhesion , lb./in. (N/25 mm) 180° on Stainless Steel - 24 hr	1.5
Quick Tack on SS , lb./in ² (N/25mm)	2.1
Dimensional Stability (shrinkage) , % 48 hours @ 158°F (70°C)	.04
Temperature Ranges Minimum Application: End Use:	50°F (+10°C) -20° to 158°F (-6° to 70°C)
Shelf Life: Two years from D.O.M when stored at 60/77°F (15-25°C) and 50% relative humidity in the original packaging.	

PRICE

Size: 54" x 100 Ft. 319.00 per roll (.71 sq. ft.)

Intermediate - Solvent-based, UV Cured Ink Jet Media

StreetRap™

CONCRETE FLOOR GRAPHICS



Application: Concrete Graphic
Material: StreetRap



Features and Benefits:

- Great adhesion to unsealed concrete or asphalt surfaces
- Eco-solvent, solvent, UV ink jet and screen printable
- Matte facestock provides superior printability

Typical Uses:

- Retail outlets
- Trade shows
- Sports venues
- Convention Centers
- Parades

Note: Must be overlaminated. Use Permacolor IP6200 Series.

StreetRap is a 3.2-mil matte white vinyl with an aggressive high tack adhesive. It's designed for short term application to unsealed, indoor or outdoor; pedestrian concrete or asphalt surfaces or selected smooth to slightly rough wall surfaces.

Physical Properties	Typical Values
Peel Adhesion, lb./in. (N/25 mm) 180° on Stainless Steel - 30 min - 24 min - 3 days	7.0 8.0
Quick Tack on SS, lb./in² (N/25mm)	7.5
Dimensional Stability (shrinkage), % 48 hours @ 158°F (70°C)	max 0.5
Temperature Ranges Minimum Application: End Use:	50°F (+10°C) -50° to 225°F (-45° to 107°C)
Shelf Life: Two years from D.O.M when stored at 60/77°F (15/25°C) and 50% relative humidity in the original packaging.	

StreetRap PRICE

Item	Size	Price per roll	Sq. Ft.
STR328L100	54" x 100 ft.	741.00	1.58

Laminate: - IP 6202 slip resistant 5mil textured lustre finish - polycarbonate - 51"x 150ft. - 1079.00 (1.70sq)

High-Performance - Solvent-based, UV Cured Ink Jet Media

RoughRAP™

WALL WRAP GRAPHICS



Application: Wall Graphics
Material: IMAGin® Digital Media for Wall Wraps



Features and Benefits:

- 2.1-mil highly conformable vinyl face
- High tack, permanent adhesive
- 80# polycoated liner for excellent printability and layflat
- Superior print quality for vibrant images

Typical Uses:

- Exterior and Interior Brick walls

Use with:

- PERMACOLOR® RAYZor™ - page 25

WW100 is a 2.1-mil soft white gloss, highly conformable PVC film designed for solvent-based ink jet printing. The product is coated on one side with a high tack, permanent, opaque acrylic adhesive. WW100 is specifically designed for direct application onto exterior and interior brick walls for an astonishing visual effect! Use of an overlaminate will extend the life of the graphic and allow for easier handling during installation.

Physical Properties	Typical Values
Peel Adhesion, lb./in. (N/25 mm) 180° on Stainless Steel - 24 min	3.2-5.0 (14-22)
Quick Tack on SS, lb./in² (N/25mm)	4.8-6.2 (21-27)
Dimensional Stability (shrinkage), % 48 hours @ 158°F (70°C)	max 0.5
Temperature Ranges Minimum Application: End Use:	50°F (+10°C) -4° to 160°F (-20° to 70°C)
Shelf Life: Two years from D.O.M when stored at 60/77°F (15-25°C) and 50% relative humidity in the original packaging.	

PRICE

Size: - 54" x 75 ft. - 565.00 per roll	(1.67 sq. ft.)
54" x 150 ft. - 1110.00 per roll	(1.64 sq. ft.)

CLICK HERE FOR PRODUCT INFO & SPECS.

SEAL PRINT SHIELD

ANTI-GRAFFITI LAMINATE FILM

Print Shield® Anti-Graffiti Wins Product of the Year at SGIA Expo

This product safeguards prints which may become vulnerable to graffiti by making them washable and resistant to a very large number of detergents and solvents. Print Shield consists of a high performance PCTFE film which protects images printed on UV or solvent inkjet printers from a wide variety of stains and chemicals such as paint, permanent marker, and acrylics

Key benefits include maintaining a long lasting professional look while being easy to clean with common economical cleaners. The PCTFE film measures only 1 mil and is completely stain, flame, and chemical resistant, as well as plasticizer and stabilizer free.

Print Shield offers the highest moisture barrier of any clear flexible film adding to the features that give it true protection against graffiti; unlike anything else in today's digital print and finishing market.

Applications include rigid indoor and outdoor displays, outdoor signage, wall murals, point of purchase/tradeshows displays, window graphics, and backlit signs. Designed to be used with inks that have long light-fastness, it is an extremely durable film with an estimated outdoor life of more than seven years (with non-immersed



[watch demo video here](#)

SELLING PRICES

SIZE	ITEM NO.	1-4 Rolls	5-9 Rolls	10 Rolls	
54" x 150 ft.	62276	1099.00 roll	1039.00 roll		
54" x 50 ft.	62270	555.00 roll	-		-
38" x 50 ft.	62272	399.00 roll	373.00 roll		-
38" x 15 ft. roll - #62271 - introductory offer - 35.00					

PRINT SHIELD® BASE TEXTURED MATTE LAMINATING FILM

Print Shield® Base Textured Matte

Print Shield Base Textured Matte is a cost effective, 3mil vinyl over-laminate specifically designed to offer outstanding protection against dirt, moisture and abrasion. Its fine sand texture gives it a semi-matte finish that will reduce glare from direct lighting, making it an excellent choice for brightly lit trade show graphics and roll up banner stand applications. Print Shield Base Textured Matte is suitable for both indoor & outdoor applications.

Print Shield Base Textured Matte		
Code	Size	Price per roll
83196	38"x 200 ft.	222.00 (.35 sq. ft.)
83197	51"x 200 ft.	296.00 (.35 sq. ft.)
83198	54"x 200 ft.	315.00 (.35 sq. ft.)
83195	38"x 15 ft. (introductory roll)	32.00

Banner Material




Smooth Vinyl Finish with Tough, Interwoven Scrim

14 oz **BANANA BANNER** WITH Hems and Grommets

Gloss Colors white black red blue yellow green

with regular grommets

FINISHED WIDTH	1 to 23 yds	Rolls - 24 yds
22"	4.95 per yd.	106.80 (4.45) per yd.
34"	6.65 per yd.	142.80 (5.95) per yd.
46"	7.95 per yd.	171.60 (7.15) per yd.




Double Grommet DESIGN
Eliminates Waste

Easy flat surface to work on

High Quality #2 spur nickel-plated double grommets are spaced every 24 inches apart.

Consistent
Each roll is exactly the same in gloss, hems, and grommets



PRE-GROMMETED READY TO PRINT DIGITAL BANNER

by BANANA BANNER - with low profile grommets - for solvent ink jet printing



IMPORTANT - click here to see video on printing instructions

SIZE (rolls only)	PRICE
24" X 24 YDS.	89.00
36" X 24 YDS.	129.00
48" X 24 YDS.	171.00
54" X 24 YDS.	195.00



CUSTOM BANNERS

- GLOSS WHITE - MATTE WHITE - COLOURS




Available in 10 OZ. INTERIOR 13 OZ. INTERIOR/EXTERIOR 18 OZ. INTERIOR/EXTERIOR 13 OZ. Blockout White 18 OZ. Blockout White

Banners are made to order in various widths from 24" to 96" in White or colours below

Available banner only, - or with the following options:

hems & grommets, pole pockets, rope top & bottom, velcro all sides, reinforced corners, reinforced seams (seat belt)

Call for a price



NOTE: The above banners are recommended for use with vinyl graphics, Eco solve, and vinyl screen inks. If lettering with enamel it is advisable to first prepare the banner with a suitable vinyl primer, eg. "One Shot 5004 Vinyl Primer, or "Chromatic TI-COTE". (both on our catalog page 36.)

Banner Material



DIGITAL BANNER MATERIAL

KEG SERIES

- Printable using solvent, eco-sol, or UV printing.
- Accepts graphics- vinyl lettering- vinyl screen printing.
- Heat-sealable - can be hemmed and grommets.

KEG-13 - A top quality 13 oz. Gloss white banner material highly recommended for interior and exterior banner requirements. Excellent durability and performance.



Size	Sq. ft.	Price/Roll	Sq. ft.
24" x 75 ft.	150	\$78.00	.52
36" x 75 ft.	225	\$114.00	.51
38" x 75 ft.	237.5	\$121.00	.51
48" x 75 ft.	300	\$152.00	.51
54" x 75 ft.	337.5	\$171.00	.51
60" x 75 ft.	375	\$189.00	.50
72" x 75 ft.	450	\$215.00	.48

KEGBO-13 - 13 oz. White Blockout for double sided printing. One side gloss white and one side matte white. Excellent durability and performance characteristics.



24" x 75 ft.	150	\$89.00	.59
36" x 75 ft.	225	\$135.00	.60
48" x 75 ft.	300	\$171.00	.57
72" x 75 ft.	450	\$257.00	.57

KEG-18 - 18 oz. Gloss White material for more rugged exterior banner requirements. Excellent for Pole Banners and Over The Street banners.




24" x 75 ft.	150	\$108.00	.72
36" x 75 ft.	225	\$162.00	.72
48" x 75 ft.	300	\$205.00	.68
54" x 75 ft.	337.5	\$226.00	.67
60" x 75 ft.	375	\$252.00	.67
72" x 75 ft.	450	\$298.00	.66

KEGBO-18 - 18 oz. White Blockout for double sided printing. One side gloss white and one side matte white. Excellent for double sided Pole Banners and Over the Street Banners.



24" x 75 ft.	150	\$127.00	.84
36" x 75 ft.	225	\$190.00	.84
48" x 75 ft.	300	\$235.00	.78
72" x 75 ft.	450	\$353.00	.78

PET-15- interior 15 oz. White - Superior choice for banner stands, POP displays or retail aisle signage. Anti-curl edge material to ensure banner lays flat without edge curling. Blockout ultra smooth for double sided printing. Matte Finish



Size	Sq. ft.	Price/roll	Sq. ft.
39" x 165 ft.	536	\$419.00	.77
54" x 165 ft.	743	\$550.00	.74

RIO-MESH - 9 oz. with liner. Best suited for indoor and outdoor applications particularly where wind is a factor, or for unique see-thru POP displays and Promotional advertising. Easy release liner allows for mess-free printing.



Size	Sq. ft.	Price/roll	Sq. ft.
54" x 120 ft.	540	\$324.00	.60
63" x 120 ft.	630	\$378.00	.60

RIO-12 SMOOTH - 12 oz. Recommended for banners where smooth surfaces are necessary. Matte finish. Blockout for double sided printing. Indoor applications.



38" x 165 ft.	536	\$ 305.00	.58
54" x 165 ft.	742	\$ 425.00	.57
63" x 165 ft.	866	\$ 495.00	.57

RIO-13 - 13 oz. White. Available in matte or gloss white. Exterior or interior use. Competitively priced.



38" x 165 ft.	536	\$199.00	.37
54" x 165 ft.	742	\$265.00	.35
63" x 165 ft.	866	\$310.00	.35



TRU-STOCK 13 oz. DIGITAL VINYL BANNER

- Tear and fade resistant
- Bright white facade produces vibrant colours
- Formulated to work on a variety of solvent & eco-solvent printers

Tru-Stock Premium Digital Banner Gloss White or Matte White 13oz.
For Interior or Exterior Use

Size	Colour	Price/roll	Sq. ft.
38"x 90 ft.	Gloss or Matte white -	85.00 roll	.30
54"x 90 ft.	Gloss or Matte white -	120.00 roll	.29
63"x 90 ft.	Gloss or Matte white -	140.00 roll	.29

INDISPLAY - PANEL PRODUCTS																			
		</																	

Digital Print Media - Textile & Vinyl



Solvent	Eco-Solvent	UV	Latex	Dye Transfer	Dye Direct	Aqueous	Main Line	Product Description	Item Number	Core Size	W	L	ROLL PRICE	Sq Ft Price	
								DIGITAL PRINT MEDIA - PRESSURE SENSITIVE VINYL							click for:
							SolvoPrint	MightyGrip Matte White Removable Adhesive	62753	3"	54	150	\$ 228.00	.34	product info sheet
								Calendered-monomeric PVC, matte, 3.5mil, >96% opacity, 3 to 4 year outdoor durability.	62754	3"	60	150	\$ 256.00	.34	product tech sheet
									62750	3"	30	10	\$ 40.35	-	
							SolvoPrint	MightyGrip Matte White Permanent Adhesive	62903	3"	54	150	\$ 228.00	.34	product info sheet
								Calendered-monomeric PVC, matte, 3.5mil, >96% opacity, 3 to 4 year outdoor durability.	62904	3"	60	150	\$ 256.00	.34	product tech sheet
									62900	3"	30	10	\$ 40.35	-	
							SolvoPrint	MightyGrip Gloss White Removable Adhesive	62765	3"	36	50	\$ 123.00	\$ 0.83	product info sheet
								Calendered-monomeric PVC, gloss, 3.5mil, >96% opacity, 3 to 4 year outdoor durability.	62762	3"	54	50	\$ 136.00	\$ 0.60	product tech sheet
									62763	3"	54	150	\$ 228.00	\$ 0.34	product tech sheet
									62764	3"	60	150	\$ 256.00	\$ 0.34	product tech sheet
									62760	3"	30	10	\$ 40.35	-	
							SolvoPrint	MightyGrip Gloss White Permanent Adhesive	62893	3"	54	150	\$ 228.00	.34	product info sheet
								Calendered-monomeric PVC, matte, 3.5mil, >96% opacity, 3 to 4 year outdoor durability.	62894	3"	60	150	\$ 256.00	.34	product tech sheet
									62890	3"	30	10	\$ 40.35	-	product tech sheet
							SolvoPrint	MightyGrip Matte White Permanent Grey	62943	3"	54	150	\$ 228.00	.34	product info sheet
								Calendered-monomeric PVC, gloss, 3.5mil, >99% opacity, 3 to 4 year outdoor durability.	62944	3"	60	150	\$ 256.00	.34	product tech sheet
									62940	3"	30	10	\$ 40.35	-	
							SolvoPrint	MightyGrip Gloss White Permanent Grey	62935	3"	36	50	\$ 123.00	\$ 0.83	product info sheet
								Calendered-monomeric PVC, gloss, 3.5mil, >99% opacity, 3 to 4 year outdoor	62892	3"	54	50	\$ 136.00	\$ 0.60	product tech sheet
									62933	3"	54	150	\$ 228.00	\$ 0.34	product tech sheet
									62934	3"	60	150	\$ 256.00	\$ 0.34	product tech sheet
									62930	3"	30	10	\$ 40.35	-	
							SolvoPrint	WallGrip - Removable Adhesive	62907	3"	54	150	\$ 450.00	\$ 0.68	product info sheet
								Polymeric Plasticized Opaque White Matte PVC, 6mil, 99% opacity, indoor applications	62908	3"	27	23	\$ 66.00	-	product tech sheet
							SolvoPrint	ClearGrip - Glass Removable Adhesive	62975	3"	30	150	\$ 218.00	\$ 0.59	product info sheet
								Clear Calendered Matte PVC	62977	3"	54	150	\$ 395.00	\$ 0.59	product tech sheet
								3.2 mil Re-moveable and Re-Positionable	62978	3"	30	10	\$ 40.35	-	product tech sheet
							SolvoPrint	Easy Dot - Matte White Removable	6030349	3"	54	164	\$ 419.00	\$ 0.57	product info sheet
								Calendered-monomeric PVC, 4mil, 94% opacity	6033675	6"	55	820	\$ 1900.00	\$ 0.53	product tech sheet
								1 year outdoor durability	60140	3"	27	10	\$ 40.35	-	product tech sheet
							SolvoPrint	Easy Dot-Clear Removable(frosted translucent)	6032517	3"	54	164	\$ 419.00	\$ 0.57	product info sheet
								Calendered-monomeric, 4mil, opacity N/A	6033676	6"	55	820	\$ 1900.00	\$ 0.53	product tech sheet
								1 year outdoor durability	60141	3"	27	10	\$ 40.35	-	product tech sheet

DIGITAL PRINT MEDIA - ULTRACLEAR

Seal

UltraClear PET - 4.9 mil polyester film

Ultra clear silicone adhesive, repositionable & removable. Optically Clear.

6034241 3" 50"x 98 ft. 525.00\$ 1.28
6034240 3" 25"x 10 ft. 40.35 -

[Click here for product info and specs on ULTRACLEAR](#)

ACCESSORIES - DISPLAYS

BANNER STANDS

ROLL-UP DELUXE

The ROLL-UP DELUXE is our top of the line banner stand with several key features, making it a superior stand for retail, POP, & trade show graphics. [For picture & details click here.](#)

4001269

PANEL SIZE
33"x 83.86"

104.00ea.

L-BANNER

The L-Banner has a solid, weighted foot and sturdy support pole. The support pole screws in and holds tight for added stability. Panel profiles clamp securely without adhesive and the pole attaches behind the profile providing a clean, elegant look. Carrying case is equipped with a PVC inner core, providing maximum durability and protection for your stand and graphic.

4001274

PANEL SIZE
33.46" x 77.95"

\$49.00 ea

4001275

PANEL SIZE
39.37 x 77.95"

\$56.00 ea

ROLL-UP

The Roll-Up Banner, reinforced fitting for the pole to ensure the display stands straight. Clamping top panel profile. Improved pole attachment (no hook). The included carrying bag unzips lengthwise for greater ease and has extra padding over its entire length to ensure the display stays looking great.

4001270

PANEL SIZE
33.46" x 86.61"

\$54.50 ea

4001271

39.37" x 86.61"

\$69.50 ea